

Scan results for **hancockmd.colorado.gov**

# Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.

Tue Sep 30, 2025

| # | Element                                                                                                             | Relevant | Successes | Failures | Score |
|---|---------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 1 | Elements that act as buttons but use non-button tags (e.g., span, div, a) should include a role="button" attribute. | Yes      | Pass      | -        | 100   |

Code snapshots of successful elements

1

<button type="submit" value="Search" class="button js-form-submit form-submit btn" role="button">Search</button>

| # | Element                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 2 | Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <button type="submit" value="Search" class="button js-form-submit form-submit btn" role="button">Search</button>
```

| # | Element                                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 3 | Links should include text that sets expectations about the page they lead to. If empty links are used as layout wrapping elements, provide a description using screen-reader only text or an "aria-label" attribute. | Yes      | 19        | 0        | 100   |

### Code snapshots of successful elements

1 `<a class="name navbar-brand" href="/" title="CI D8" rel="home">CI D8</a>`

2 `<a href="/home" class="tbm-link level-1 active-trail"> Home </a>`

3 `<a href="/accessibility" class="tbm-link level-1"> Accessibility </a>`

4 `<a href="/board-meetings" class="tbm-link level-1"> Board Meetings </a>`

5 `<a href="/district-resources" class="tbm-link level-1"> District Resources </a>`

6 `<a href="/election-information" class="tbm-link level-1"> Election Information </a>`

7 `<a href="?calendar_timestamp=1754028000&previous=1754028000&current=1759257718&next=1759298400&date_format=custom&date_pattern=F%20Y&use_previous_next=0&display_reset=1&pager_type=calendar_month" aria-label="Previous m...">`

8 `<a href="?calendar_timestamp=1759298400&previous=1754028000&current=1759257718&next=1759298400&date_format=custom&date_pattern=F%20Y&use_previous_next=0&display_reset=1&pager_type=calendar_month" aria-label="Next month...">`

9 `<a href="?calendar_timestamp=today&previous=1754028000&current=1759257718&next=1759298400&date_format=custom&date_pattern=F%20Y&use_previous_next=0&display_reset=1&pager_type=calendar_month" title="Reset Calendar" aria-label="Reset Calendar">`

10 `<a class="btn btn-blue-steel border-color" href="https://Hancock-MD-No-.1-Notice-Concerning-the-Creation-of-a-Debt-or-Other-Financial-Obligation-of-the-District.pdf" target="_blank">Hancock Metropolitan District #1<span class="visually-hidden">(open...`

| # | Element                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 4 | Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

1 `<a class="btn btn-blue-steel border-color" href="https://Hancock-MD-No-.1-Notice-Concerning-the-Creation-of-a-Debt-or-Other-Financial-Obligation-of-the-District.pdf" target="_blank">Hancock Metropolitan District #1<span class="visually-hidden">(open...`

| # | Element                                                                                                                                   | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 5 | An H1 heading provides information to screen-reader users about the main topic of the page. Each page should have exactly one H1 heading. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                              | Relevant | Successes | Failures | Score |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 6 | HTML heading elements (h1-h6) should contain text content. If they include images or links, those elements must provide alternative text or screen-reader-only text. | Yes      | 13        | 0        | 100   |

| # | Element                                                                                                                                                                 | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 7 | Elements that visually function as headings but are not coded with a heading tag should include a role="heading" attribute or be updated to use the correct heading tag | No       | 0         | 0        |       |

| # | Element                                                                                                                                                             | Relevant | Successes | Failures | Score |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 8 | Heading levels should not be skipped and must follow a consistent hierarchy. For example, you should not use h2 and h4 headings without including an h3 in between. | Yes      | Pass      | -        | 100   |

| # | Element                                                                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 9 | Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0". | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                           | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 10 | Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                            | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 11 | Active popups should include aria-modal="true" and role="dialog" attributes to help screen-reader users navigate them effectively. | No       | 0         | 0        |       |

| #                                                                                                                                            | Element                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 12                                                                                                                                           | Each page should include hidden skip links that allow users (via keyboard or screen reader) to bypass certain blocks and navigate directly to main landmarks like the main content, menu, or footer. | Yes      | Pass      | -        | 100   |
| <b>Code snapshots of successful elements</b>                                                                                                 |                                                                                                                                                                                                      |          |           |          |       |
| <div><div>1</div><div>&lt;a href="#main-content" class="visually-hidden focusable skip-link"&gt; Skip to main content &lt;/a&gt;</div></div> |                                                                                                                                                                                                      |          |           |          |       |

| #  | Element                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 13 | Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should include an "aria-hidden" attribute set to "true" when hidden and dynamically updated to "false" when they become visible. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 14 | Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should have a tabindex attribute set to less than 0 and be dynamically updated to 0 when they become visible. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                               | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 15 | Menus should be built using the HTML5 "nav" element or include a "role" attribute set to "menu" or "navigation" to indicate a navigation landmark for screen readers. | No       | 0         | 0        |       |

| #  | Element                                                                           | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 16 | Menu items that have a dropdown should include an aria-haspopup="true" attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 17 | Menu items that have a dropdown should include an "aria-expanded" attribute set to "false" by default, which changes to "true" when the dropdown is opened, and back to "false" when closed. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 18 | Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. | Yes      | 2         | 0        | 100   |

#### Code snapshots of successful elements

1 ``

| #  | Element                                                                                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 19 | Background images that are not just for decoration purposes should have the same treatment as standard images. They should include a <code>role="img"</code> attribute and an alternative text description using an <code>"aria-label"</code> attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                         | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 20 | Font icons, SVGs, or images used as spacers, decorations, or when their purpose is already described by other content, should include a <code>role="presentation"</code> or <code>role="none"</code> attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 21 | Figure elements used to display images should have a <code>role="none"</code> attribute, and the image itself should provide a description using the <code>"alt"</code> attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                               | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 22 | Each <code>"area"</code> element within a <code>map</code> tag should have an <code>"alt"</code> attribute that provides an alternative text description, similar to standard images. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 23 | Small or hidden tracking pixel images (used for analytics or marketing) should include a role="none" or role="presentation" attribute to exclude them from screen-readers. | No       | 0         | 0        |       |

| #                                            | Element                                                                                                                                                                                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 24                                           | Form fields should include either an "aria-label" attribute or an associated "label" element to describe the field's purpose (e.g., email, phone, name).                                                                                                                                                                                      | Yes      | 2         | 0        | 100   |
| <b>Code snapshots of successful elements</b> |                                                                                                                                                                                                                                                                                                                                               |          |           |          |       |
| 1                                            | <pre>&lt;select class="goog-te-combo" aria-label="Language Translate Widget"&gt;&lt;option value=""&gt;Select Language&lt;/option&gt;&lt;option value="ab"&gt;Abkhaz&lt;/option&gt;&lt;option value="ace"&gt;Acehnese&lt;/option&gt;&lt;option value="ach"&gt;Acholi&lt;/option&gt;&lt;option value="aa"&gt;Afar&lt;/option&gt;&lt;o...</pre> |          |           |          |       |
| 2                                            | <pre>&lt;input title="Site Search" data-drupal-selector="edit-keys" class="form-search form-control" placeholder="Search" type="search" id="edit-keys" name="keys" value="" size="40" maxlength="128" data-toggle="tooltip" style="background: rgb(255, 255, 255);...</pre>                                                                   |          |           |          |       |

| #  | Element                                                                                                    | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 25 | Form elements must have unique IDs to ensure that their corresponding labels provide accurate information. | No       | 0         | 0        |       |

| #  | Element                                                                                                           | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 26 | Required form fields should include aria-required="true" to inform screen-reader users of the field's validation. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 27 | aria-describedby and aria-labelledby attributes should reference the ID of an element that either has a text description or an "aria-label" attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 28 | Search forms should include a role="search" attribute or be wrapped in an element with this role to indicate a search landmark for screen-readers. | Yes      | Pass      | -        | 100   |

Code snapshots of successful elements

1

```
<form action="/search/search" method="get" id="search-block-form" accept-charset="UTF-8"> <div class="form-item js-form-item form-type-search js-form-type-search form-item-keys js-form-item-keys form-no-label form-group"> <label for="edit-keys" class...
```

| #  | Element                                                                                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 29 | All forms should include a submission button built as an input type="submit" or a "button" element, or have a role="button" attribute. The button can be hidden if the form supports submission via the Enter key. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <form action="/search/search" method="get" id="search-block-form" accept-charset="UTF-8"> <div class="form-item js-form-item form-type-search js-form-type-search form-item-keys js-form-item-keys form-no-label form-group"> <label for="edit-keys" class...
```

| #  | Element                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 30 | The validity status of each form element must be represented using the "aria-invalid" attribute with "true" or "false" values, and should update dynamically as the status changes. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 31 | The title tag in the head section should be present and describe the current webpage accurately. This title appears in the browser tab, search engine results, and helps screen-reader users understand the page's content. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 32 | The HTML tag should include a "lang" attribute representing the main language of the webpage to help screen-readers provide accurate pronunciation. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 33 | The viewport meta tag should enable vision-impaired users to pinch-zoom to at least twice the standard size by including user-scalable="yes" and maximum-scale=2 (or higher) in the content attribute. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

| #  | Element                                                                                                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 34 | Landmarks like main content and footer should use their corresponding HTML5 elements (<main>, <footer>) or include an "aria-label" and "role" attribute (e.g., role="main" or role="contentinfo"). Landmarks like search and navigation are covered elsewhere. | Yes      | 2         | 2        | 50    |

#### Code snapshots of successful elements

```
1 <footer> <div class="footer__content-footer color__silver"> <div class="container"> <div class="region region-footer"> <section id="block-blockmainfooter" class="block block-block-content block-block-content8e0f4fc5-1848-4e37-892d-08efb5472307 clearf...
```

#### Code snapshots of failed elements

```
1 <div class="site-wrapper"> <a href="#main-content" class="visually-hidden focusable skip-link"> Skip to main content </a> <div class="dialog-off-canvas-main-canvas" data-off-canvas-main-canvas=""> <div class="region region-co-branding"> <div class="c...
```

```
2 <main id="main-content" tabindex="-1" class="js-quickedit-main-content"> <div class="jumbotron"> <div class="region region-jumbotron"> <section class="views-element-container block block-views block-views-blockjumbo-sliders-block-1 clearfix" id="bloc...
```

| #  | Element                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 35 | Font sizes should be at least 11px to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or percentages. | Yes      | 49        | 2        | 96    |

#### Code snapshots of failed elements

1 `<div class="skiptranslate goog-te-gadget" dir="ltr" style=""><div id=":0.targetLanguage"><select class="goog-te-combo" aria-label="Language Translate Widget"><option value="">Select Language</option><option value="ab">Abkhaz</option><option value="ac...`

2 `<button type="submit" value="Search" class="button js-form-submit form-submit btn" role="button">Search</button>`

| #  | Element                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 36 | Letter spacing should not be set below -1px to maintain readability across most font families. This should also be verified when using dynamic units like REM or percentages. | Yes      | 51        | 0        | 100   |

| #  | Element                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 37 | Text elements should meet a minimum contrast ratio of 4.5:1 between the foreground (text color) and the background. | Yes      | 46        | 3        | 94    |

Code snapshots of successful elements

- 1

<a class="name navbar-brand" href="/" title="CI D8" rel="home">CI D8</a>
- 2

<a href="/home" class="tbm-link level-1 active-trail"> Home </a>
- 3

<a href="/accessibility" class="tbm-link level-1"> Accessibility </a>
- 4

<a href="/board-meetings" class="tbm-link level-1"> Board Meetings </a>
- 5

<a href="/district-resources" class="tbm-link level-1"> District Resources </a>
- 6

<a href="/election-information" class="tbm-link level-1"> Election Information </a>
- 7

<h2>Hancock Metropolitan District</h2>
- 8

<h2>Events & Calendar</h2>
- 9

<h2> Calendar </h2>
- 10

<a href="?calendar\_timestamp=1754028000&previous=1754028000&current=1759257718&next=1759298400&date\_format=custom&date\_pattern=F%20Y&use\_previous\_next=0&display\_reset=1&pager\_type=calendar\_month" aria-label="Previous m...

Code snapshots of failed elements

- 1

<div class="field field--name-field-card-title field--type-string field--label-hidden field--item">About the District</div>

2 <https://dlg.colorado.gov/>  
Division of Local Government (DLG)

3 <https://cdola.colorado.gov/dlg>  
Colorado Department of Local Affairs (DOLA)

| #  | Element                                                                                                                                                                                                         | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 38 | Carousels should include an "aria-label" attribute (e.g., carousel or slider) to indicate their functionality. They should also be marked as a landmark for screen-readers with a role="contentinfo" attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 39 | Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 40 | A common accessibility mistake is treating carousels as live regions using the "aria-live" attribute with "polite" or "assertive" values. This can cause screen readers to cut off or skip important announcements. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 41 | Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text. | No       | 0         | 0        |       |

| #                                        | Element                                                                                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 42                                       | Tables used for layout purposes should include a role="presentation" attribute to indicate to screen-readers that it is not a data table.                                                                                                                                   | Yes      | -         | Fail     | 0     |
| <b>Code snapshots of failed elements</b> |                                                                                                                                                                                                                                                                             |          |           |          |       |
| 1                                        | <pre>&lt;table class="calendar-view-table calendar-view-month responsive-enabled table table-bordered table-hover table-striped" data-calendar-view="calendar_month" data-calendar-view-month="09" data-calendar-view-view-display="block_1" data-calendar-view-vi...</pre> |          |           |          |       |

| #  | Element                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 43 | If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation". | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <table class="calendar-view-table calendar-view-month responsive-enabled table table-bordered table-hover table-striped" data-calendar-view="calendar_month" data-calendar-view-month="09" data-calendar-view-view-display="block_1" data-calendar-view-vi...
```

| #  | Element                                                                                                                                                          | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 44 | Tables without a thead row containing th elements should use the role="rowheader" attribute on td elements in the tr that visually represent the table headings. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <table class="calendar-view-table calendar-view-month responsive-enabled table table-bordered table-hover table-striped" data-calendar-view="calendar_month" data-calendar-view-month="09" data-calendar-view-view-display="block_1" data-calendar-view-vi...
```

| #  | Element                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 45 | Visually deleted texts (e.g., a previous price on sale items) should include an "aria-label" attribute or a screen-reader only text to indicate that it is deleted. | No       | 0         | 0        |       |

| #  | Element                                                                                                                         | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 46 | The main element of breadcrumbs should include a role="navigation" attribute and an "aria-label" to describe its functionality. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 47 | Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 48 | An accessibility interface allows visually-impaired users to adjust UI elements like font size, colors, and spacing to suit their needs. While not a compliance requirement, it can help improve accessibility compliance. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 49 | Iframe elements should include a "title" or "aria-label" attribute that explains their purpose, functionality, or destination. If irrelevant, they should be hidden from screen readers. | No       | 0         | 0        |       |

This audit is subject to the [terms of service](#)